CAS No.

Index No.

Designation

classification: // Remark



weight-%

Article Print c Versic	late:	ZX020003AJ10 22.01.2021 4.0087	Brilliance Everclear Revision date: 17.0 ² Issue date: 17.01.20		EN Page 1 / 7
SECTION 1: Identification of the substance/mixture and of the company/undertaking					
1.1.	Product ide	entifier			
		manufacturer/suppli /designation	er)	ZX020003AJ10 Brilliance Everclear matt Stat.Warennummer	: 3405.20.000
1.2.	Relevant id	entified uses of the	e substance or mixt	ure and uses advis	ed against
		entified uses paint related mater	al		
1.3.	Details of the	ne supplier of the s	afety data sheet		
	Berger-Seid Parkettlacke Maybachstra 67269 Grün Germany	le GmbH - Klebstoffe - Bauc aße 2 stadt		r/distributor) Telephone: +49 635 Telefax: +49 6359 /	
	Laboratory E-mail	t responsible for in	formation:	Sicherheitsdaten@t	perger-seidle de
1.4.	Emergency 24-hour eme (BLG)	telephone number ergency number: +4		-	
SEC		zards identificatio		()	
		on of the substand			
2.1.			egulation (EC) No 12	72/2008 [C] P1	
			hazardous according		lo 1272/2008 [CLP].
2.2.	Label elem	ents			
	Labelling a	ccording to Regula	tion (EC) No. 1272/2	2008 [CLP]	
	Hazard pict	ograms			
	Hazard stat	ements not applic	cable		
	Precaution	ary statements not applic	cable		
		nponents for labell not applic	cable		
	Supplemen EUH208 EUH210				May produce an allergic reaction.
2.3.	Other haza	rds			
	No informat	on available.			
		mation: If medical a ead label before us		ave product contair	ner or label at hand. Keep out of reach of
SEC	TION 3: Co	mposition / infor	mation on ingredie	ents	
3.2.	Mixtures				
	Descriptior	Emulsion	s/Coating products		
			egulation (EC) No 12	272/2008 [CLP]	
	EC No.	REACH			weight %



Article No.:	ZX020003AJ10	Brilliance Everclear		
Print date:	22.01.2021	Revision date: 17.01.2021	EN	
Version:	4.0087	Issue date: 17.01.2021	Page 2 / 7	

not applicable

Additional information

weight-%

Full text of classification: see section 16

Labelling for contents according to regulation (EC) No. 648/2004:

Ingredient

citral

(R)-p-mentha-1,8-diene (Limonene)

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

Following ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. **Indication of any immediate medical attention and special treatment needed** First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

Unsuitable extinguishing media

strong water jet

5.2. Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

5.3. Advice for firefighters

Provide a conveniently located respiratory protective device.Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Keep away from sources of ignition. Ventilate affected area. Do not breathe vapours.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13). Clean using cleansing agents. Do not use solvents.



Article No.:	ZX020003AJ10	Brilliance Everclear
Print date:	22.01.2021	Revision date: 17.01.2021
Version:	4.0087	Issue date: 17.01.2021

EN Page 3 / 7

6.4. Reference to other sections

Observe protective provisions (see section 7 and 8).

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advices on safe handling

Avoid formation of flammable and explosive vapour concentrations in the air and exceeding the exposure limit values. Only use the material in places where open light, fire and other flammable sources can be kept away. Electrical equipment must be protected meeting the accepted standard. Product may become electrostatically charged. Provide earthing of containers, equipment, pumps and ventilation facilities. Anti-static clothing including shoes are recommended. Floors must be electrically conductive. Keep away from heat sources, sparks and open flames. Use only spark proof tools. Avoid contact with skin, eyes and clothes. Do not inhale dusts, particulates and spray mist when using this preparation. Avoid respiration of swarf. When using do not eat, drink or smoke. Personal protection equipment: refer to section 8. Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

Further information

Vapours are heavier than air. Vapours form explosive mixtures with air.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks. Soils have to conform to the "Guidelines for avoidance of ignition hazards due to electrostatic charges (TRGS 727)".

Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

Further information on storage conditions

Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 15 °C and 25 °C. Protect from heat and direct sunlight. Keep container tightly closed. Remove all sources of ignition. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values:

not applicable

8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction. If this should not be sufficient to keep aerosol and solvent vapour concentration below the exposure limit values, a suitable respiratory protection must be used.

Personal protection equipment

Respiratory protection

If concentration of solvents is beyond the occupational exposure limit values, approved and suitable respiratory protection must be used. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190). Use only respiratory protection equipment with CE-symbol including four digit test number.

Hand protection

For prolonged or repeated handling the following glove material must be used: Butyl caoutchouc (butyl rubber) / Butyl caoutchouc (butyl rubber)

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles EN ISO 374 Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Eye/face protection

Wear closely fitting protective glasses in case of splashes.

Body protection

Wear antistatic clothing of natural fibers (cotton) or heat resistant synthetic fibers.



Article No.:	ZX020003AJ10	Brilliance Everclear	
Print date:	22.01.2021	Revision date: 17.01.2021	
Version:	4.0087	Issue date: 17.01.2021	

EN Page 4 / 7

Protective measures

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

Environmental exposure controls

Do not allow to enter into surface water or drains. See section 7. No additional measures necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties					
	Appearance:				
	Physical state:	Liquid			
	Appearance:	Liquid			
	Colour:	white			
	Odour:	characteristic			
	Odour threshold:	not applicable			
	pH at 20 °C:	not applicable			
	Melting point/freezing point:	not applicable			
	Initial boiling point and boiling range:	100 °C			
		Source: water			
	Flash point:	not applicable			
	Evaporation rate:	not applicable			
	flammability				
	Burning time:	not applicable			
	Upper/lower flammability or explosive limits:	n st su slisski			
	Lower explosion limit: Upper explosion limit:	not applicable not applicable			
	Vapour pressure at 20 °C:	23 mbar			
	vapour pressure at 20°C.	Method: calculated.			
		Source: water			
	Vapour density:	not applicable			
	Relative density:				
	Density at 20 °C:	1,02 g/cm ³			
	Relative density at 20 °C:	not applicable			
	Solubility(ies): Water solubility at 20 °C:	miscible			
	Partition coefficient: n-octanol/water:	see section 12			
	Auto-ignition temperature:	not applicable			
	Decomposition temperature:	not applicable			
	Viscosity at 20 °C:	12 s 4 mm			
		Method: DIN 53211			
	Explosive properties:	not applicable			
	Oxidising properties:	not applicable			
9.2.	Other information				
	Solvent separation test:	< 3 weight-% (ADR/RID)			
	Bulk density:				
	Drop point/drop range:				
	Pour point:	0°C			
SEC	TION 10: Stability and reactivity				

10.1. Reactivity

No information available.

10.2. Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.



Article No.:	ZX020003AJ10	Brilliance Everclear	EN
Print date:	22.01.2021	Revision date: 17.01.2021	
Version:	4.0087	Issue date: 17.01.2021	Page 5 / 7

10.3. Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

10.4. Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

10.5. Incompatible materials not applicable

not applicable

10.6. Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide, smoke, nitrogen oxides.

SECTION 11: Toxicological information

Classification according to Regulation (EC) No 1272/2008 [CLP] No data on preparation itself available.

11.1. Information on toxicological effects

Acute toxicity, calculated:

ATEmix calculated, oral: > 5000 mg/kg ATEmix calculated, dermal: > 5000 mg/kg

Acute toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation; Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Based on available data, the classification criteria are not met.

STOT-single exposure; STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Practical experience/human evidence

Inhaling of solvent components above the MWC-value can lead to health damage, e.g. irritation of the mucous membrane and respiratory organs, as well as damage to the liver, kidneys and the central nerve system. Indications for this are: headache, dizziness, fatigue, amyosthenia, drowsiness, in serious cases: unconsciousness. Solvents may cause some of the aforementioned effects through skin resorption. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

Overall Assessment on CMR properties

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

Remark

There is no information available on the preparation itself . The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and classified according to the toxicological dangers. See chapters 2 and 15 for details.

SECTION 12: Ecological information

Classification according to Regulation (EC) No 1272/2008 [CLP] There is no information available on the preparation itself . Do not allow to enter into surface water or drains.

12.1. Toxicity

Based on available data, the classification criteria are not met.

Long-term Ecotoxicity

Toxicological data are not available.

12.2. Persistence and degradability



Article Print d Versio	late:	ZX020003AJ10 22.01.2021 4.0087	Brilliance Everclear Revision date: 17.01.2021 Issue date: 17.01.2021	EN Page 6 / 7
	Toxicologic	al data are not avai	lable.	
12.3.	Bioaccum	ulative potential		
	•	al data are not avai		
		tration factor (BCI		
	•	al data are not avai	lable.	
12.4.	Mobility in	soil al data are not avai	lahla	
125	•	PBT and vPvB as		
12.0.				according to REACH, annex XIII.
12.6.	Other adve			
		tion available.		
SEC	TION 13: D	isposal conside	ations	
13.1.	Waste trea	tment methods		
		e disposal / Produ	ct	
	Recommen		ace water or drains. This material	and its container must be disposed of in a safe way. Waste
			2008/98/EC, covering waste and	
			s/waste designations in accord	
	200130	deterge	nts other than those mentioned in	20 01 29
	Appropriat	e disposal / Packa	ge	
	Recommen		· · · · · · · · · ·	
	Non-contar	ninated packages n	nay be recycled. Vessels not prop	erly emptied are special waste.
SEC		ransport informa		
	•	•	of this transport regulation.	
14.1.	UN numbe	r	not applicable	
14 2	UN proper	shipping name	not applicable	
	en propor	empping name		
14.3.	Transport	hazard class(es)		
			not applicable	
14.4.	Packing gr	oup	not applicable	
14 5	Environme	ental hazards	not applicable	
14.0.		port (ADR/RID)	not applicable	
	Marine poll		not applicable	
14.6.	-	ecautions for user		
	• •		right and safe containers. Make si	ire that persons transporting the product know what to do in
	case of an	accident or leakage safe handling: see		
	Further inf	ormation		
	Land trans	port (ADR/RID)		
	tunnel restr		-	
	Sea transp	ort (IMDG)		
	EmS-No.	····· (not applicable	
14.7.		in bulk according	to Annex II of Marpol and the IB	C Code
	not applical	-		
SEC			ation	
SEC	TION 15: R	egulatory inform	ation	

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture



EN Page 7 / 7

Article No.:	ZX020003AJ10	Brilliance Everclear
Print date:	22.01.2021	Revision date: 17.01.2021
Version:	4.0087	Issue date: 17.01.2021

EU legislation

Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive]

VOC-value (in g/L) ISO 11890-2: 28 VOC-value (in g/L) ASTM D2369: 270

National regulations

Restrictions of occupation

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

Other regulations, restrictions and prohibition regulations

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

Appreviations and a	cionynis
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
OEL	Occupational Exposure Limit Value
BLV	Biological Limit Value
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging
CMR	Carcinogenic, Mutagenic and Reprotoxic
DIN	German Institute for Standardization / German industrial standard
DNEL	Derived No-Effect Level
EAKV	European Waste Catalogue Directive
EC	Effective Concentration
EC	European Community
EN	European Standard
IATA-DGR	International Air Transport Association – Dangerous Goods Regulations
IBC Code	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
ICAO-TI	International Civil Aviation Organization Technical Instructions for the Safe Transport of Dangerous
	Goods by Air
IMDG Code	International Maritime Code for Dangerous Goods
ISO	International Organization for Standardization
LC	Lethal Concentration
LD	Lethal Dose
MARPOL	Maritime Pollution: The International Convention for the Prevention of Pollution from Ships
OECD	Organisation for Economic Cooperation and Development
PBT	persistent, bioaccumulative, toxic
PNEC	Predicted No Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
UN	United Nations
VOC	Volatile Organic Compounds
vPvB	very persistent and very bioaccumulative

Further information

Classification according to Regulation (EC) No 1272/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in section 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.