

Article Print o Versio	date:	KG40000ADL10 22.01.2021 5.0048	Classic BaseOil Revision date: 17.0 Issue date: 17.01.20		EN Page 1 / 7	
SEC	SECTION 1: Identification of the substance/mixture and of the company/undertaking					
1.1.	1.1. <b>product identifiers</b> Article No. (manufacturer/supplier) Trade name/designation		ier)	KG40000ADL10 Classic BaseOil Farblos/Colorless abZ-Nr. Z-157.10-47		
1.2.	Relevant id	dentified uses of th	e substance or mix	ure and uses advised ag	ainst	
	paint and/o	dentified uses: r paint related mater or industrial and pro				
		sed against: for injecting or spra	ying.			
1.3.	Details of t	the supplier of the	safety data sheet			
	Berger-Seid	dle GmbH e - Klebstoffe - Baud aße 2	r <b>ter/downstream use</b> chemie	er/distributor) Telephone: +49 6359 / 80 Telefax: +49 6359 / 8005-		
	<b>Departmer</b> Laboratory E-mail	nt responsible for in	nformation:	Sicherheitsdaten@berger	-seidle.de	
1.4.	Emergency telephone number 24-hour emergency number: +49 700 24112112 (BLG) 24-hour emergency number in side USA: +11 49 700 24112112 (BLG)					
SEC	SECTION 2: Hazards identification					
2.1.	Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP] The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].			2/2008 [CLP].		
2.2.	Label elements					

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms

#### Hazard statements

not applicable

#### Precautionary statements

not applicable

Hazard components for labelling

not applicable Supplemental hazard information

Safety data sheet available on request.

# EUH210 2.3. **Other hazards**

Spontaneous ignition possible through autoxidation of cloths soaked in the product. (The same applies to dust and other paint-soaked items). The product itself is not self ignitive.

# Other information

Read label before use. If medical advice is needed, have product container or label at hand. Keep out of reach of children.

### **SECTION 3: Composition / information on ingredients**

#### 3.2. Mixtures

Description Oils/waxes, solvent-free



e No.: date: on:	KG40000ADL10 22.01.2021 5.0048	Classic BaseOil Revision date: 17.01.2021 Issue date: 17.01.2021	EN Page 2 / 7	
Classificat	ion according to F	egulation (EC) No 1272/2008 [CLP		
EC No. REACH No.				
CAS No.	Designa	ation		weight-%
Index No.	classifi	cation // Remark		
240-085-3	01-2119	979087-23-XXXX		
15956-58-8	}			0,5 - 1
	Eye Irrit H411	2 H319 / Repr. 2 H361 / STOT	RE 2 H373 / Aquatic Chronic	2

Full text of classification: see section 16

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

#### In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

#### Following skin contact

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

#### After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

#### **Following ingestion**

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

#### 4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. **Indication of any immediate medical attention and special treatment needed** First Aid, decontamination, treatment of symptoms.

#### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media:

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

#### Unsuitable extinguishing media

strong water jet

#### 5.2. Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

#### 5.3. Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

#### **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

Keep away from sources of ignition. Ventilate affected area. Do not breathe vapours.

# 6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

#### 6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13). Clean using cleansing agents. Do not use solvents.



Article No.:	KG40000ADL10	Classic BaseOil
Print date:	22.01.2021	Revision date: 17.01.2021
Version:	5.0048	Issue date: 17.01.2021

ΕN Page 3/7

#### **Reference to other sections** 6.4

Observe protective provisions (see section 7 and 8).

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advices on safe handling

Avoid formation of flammable and explosive vapour concentrations in the air and exceeding the exposure limit values. Only use the material in places where open light, fire and other flammable sources can be kept away. Electrical equipment must be protected meeting the accepted standard. Product may become electrostatically charged. Provide earthing of containers, equipment, pumps and ventilation facilities. Anti-static clothing including shoes are recommended. Floors must be electrically conductive. Keep away from heat sources, sparks and open flames. Use only spark proof tools. Avoid contact with skin, eyes and clothes. Do not inhale dusts, particulates and spray mist when using this preparation. Avoid respiration of swarf. When using do not eat, drink or smoke. Personal protection equipment: refer to section 8. Do not empty containers with pressure no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

#### **Further information**

Vapours are heavier than air. Vapours form explosive mixtures with air.

#### Conditions for safe storage, including any incompatibilities 7.2.

#### Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO), Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks. Soils have to conform to the "Guidelines for avoidance of ignition hazards due to electrostatic charges (TRGS 727)".

#### Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

#### Further information on storage conditions

Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 15 °C and 25 °C. Protect from heat and direct sunlight. Keep container tightly closed. Remove all sources of ignition. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

#### 7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

### SECTION 8: Exposure controls/personal protection

#### 8.1. **Control parameters**

#### Occupational exposure limit values:

not applicable

#### 8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction. If this should not be sufficient to keep aerosol and solvent vapour concentration below the exposure limit values, a suitable respiratory protection must be used.

#### Personal protection equipment

#### **Respiratory protection**

If concentration of solvents is beyond the occupational exposure limit values, approved and suitable respiratory protection must be used. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190). Use only respiratory protection equipment with CE-symbol including four digit test number.

#### Hand protection

For prolonged or repeated handling the following glove material must be used: Butyl caoutchouc (butyl rubber) Thickness of the glove material > 0,4 mm ; Breakthrough time: > 480 min.

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles EN ISO 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

#### Eye/face protection

Wear closely fitting protective glasses in case of splashes.

#### **Body protection**

Wear antistatic clothing of natural fibers (cotton) or heat resistant synthetic fibers.



Print date:         22.01.2021         Revision date: 17.01.2021           Version:         5.0048         Issue date: 17.01.2021			
---	--	--	--

ΕN Page 4/7

### **Protective measures**

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

#### **Environmental exposure controls**

Do not allow to enter into surface water or drains. See section 7. No additional measures necessary.

# **SECTION 9: Physical and chemical properties**

9.1.	Information on basic physical and chemical properties				
	Appearance: Physical state: Colour:	Liquid brown			
	Odour:	characteristic			
	Odour threshold:	not applicable			
	pH at 20 °C:	not applicable			
	Melting point/freezing point:	not applicable			
	Initial boiling point and boiling range:	not determined			
	Flash point:	> 61 °C			
	Evaporation rate:	not applicable			
	flammability Burning time:	not applicable			
	Upper/lower flammability or explosive limits:				
	Lower explosion limit:	not determined			
	Upper explosion limit:	not determined			
	Vapour pressure at 20 °C:	not determined			
	Vapour density:	not applicable			
	Relative density: Density at 20 °C:	0,93 g/cm³			
	Solubility(ies): Water solubility at 20 °C:	insoluble			
	Partition coefficient: n-octanol/water:	see section 12			
	Auto-ignition temperature:	not determined			
	Decomposition temperature:	not applicable			
	Viscosity at 20 °C:	<b>25 s 4 mm</b> Method: DIN 53211			
	Explosive properties:	not applicable			
	Oxidising properties:	not applicable			
9.2.	Other information				
	Solvent separation test:	< 3 weight-% (ADR/RID)			
SEC	TION 10: Stability and reactivity				

# 10.1. Reactivity

No information available.

### 10.2. Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

10.3. Possibility of hazardous reactions Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

# 10.4. Conditions to avoid

Hazardous decomposition byproducts may form with exposure to high temperatures.

#### 10.5. Incompatible materials not applicable

10.6. Hazardous decomposition products Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide,



Article No.:	KG40000ADL10	Classic BaseOil
Print date:	22.01.2021	Revision date: 17.01.2021
Version:	5.0048	Issue date: 17.01.2021

EN Page 5 / 7

#### smoke, nitrogen oxides.

# **SECTION 11: Toxicological information**

Classification according to Regulation (EC) No 1272/2008 [CLP] No data on preparation itself available.

#### 11.1. Information on toxicological effects

#### Acute toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation; Serious eye damage/eye irritation

Skin

#### Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

#### CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Based on available data, the classification criteria are not met.

#### STOT-single exposure; STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Practical experience/human evidence

Inhaling of solvent components above the MWC-value can lead to health damage, e.g. irritation of the mucous membrane and respiratory organs, as well as damage to the liver, kidneys and the central nerve system. Indications for this are: headache, dizziness, fatigue, amyosthenia, drowsiness, in serious cases: unconsciousness. Solvents may cause some of the aforementioned effects through skin resorption. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

#### **Overall Assessment on CMR properties**

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

## **SECTION 12: Ecological information**

Classification according to Regulation (EC) No 1272/2008 [CLP] There is no information available on the preparation itself . Do not allow to enter into surface water or drains.

#### 12.1. Toxicity

Based on available data, the classification criteria are not met.

### 12.2. Persistence and degradability

Toxicological data are not available.

### 12.3. Bioaccumulative potential

Toxicological data are not available.

### 12.4. Mobility in soil

Toxicological data are not available.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Other adverse effects

No information available.

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

# Appropriate disposal / Product

#### Recommendation

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

# List of proposed waste codes/waste designations in accordance with EWC

080112 waste paint and varnish other than those mentioned in 08 01 11



rticle rint d ersio		KG40000ADL10 22.01.2021 5.0048	Classic BaseOil Revision date: 17.01.2021 Issue date: 17.01.2021	EN Page 6 / 7		
	Recomm	iate disposal / Packa nendation raminated packages m	<b>ge</b> hay be recycled. Vessels not properly	emptied are special waste.		
SEC.	<b>TION 14</b> :	Transport informa	tion			
	-	-	of this transport regulation.			
4.1.	UN num	ber				
4.2.	UN prop	er shipping name	not applicable			
43	Transno	rt hazard class(es)				
ч.э.	manspo		not applicable			
4.4.	Packing	group				
	-		not applicable			
4.5.		mental hazards				
		nsport (ADR/RID)	not applicable			
	Marine po		not applicable			
4.6.		precautions for user				
	case of a	t always in closed, up n accident or leakage on safe handling: see		that persons transporting the product know what to do in		
	Further i	nformation				
	Land tra	nsport (ADR/RID)				
		striction code	-			
	Sea trans	sport (IMDG)				
	EmS-No.		not applicable			
4.7.	Transpo	rt in bulk according	o Annex II of Marpol and the IBC (	Code		
	not applic	cable				
EC.	TION 15:	Regulatory inform	ation			
			ntal regulations/legislation specif	ic for the substance or mixture		
	EU legis					
	Directive VOC-valu	<b>2010/75/EU on indu</b> ue (in g/L) ISO 11890-		ons Directive]		
	VOC-value (in g/L) ASTM D2369: 1 <b>Directive 2004/42/EC on the limitation of emissions of volatile organic compounds</b> VOC product category: (Cat. A/f) ; VOC limit value: 700 g/l Maximum VOC content (g/L) of the product in a ready to use condition: 1					
			the product in a ready to use condit			
	National regulations Restrictions of occupation					
	Observe	employment restrictio		ective (92/85/EEC) for expectant or nursing mothers. /enile work protection guideline' (94/33/EC).		
	MAL-Kod	le (MAL Kode ready-to	o-use): 00-1			
	PR-No.: 2	2288539				
5.2.		Il Safety Assessment ollowing substances o	: this mixture a chemical safety asse	ssment has been carried out:		
		Other information				

Eye Irrit. 2 / H319Serious eye damage/eye irritationRepr. 2 / H361Reproductive toxicity

Causes serious eye irritation. Suspected of damaging fertility or the unborn



Version:	5.004	1.2021 48	Revision date: 17.01.2021 Issue date: 17.01.2021	EN Page 7 / 7			
-	OT RE 2 / H37	-	STOT-repeated exposure Hazardous to the aquatic environment	child (state specific effect if known) (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard). May cause damage to organs (or state all organs affected, if known) through prolonged or repeated exposure (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard). Toxic to aquatic life with long lasting effects.			
			·	Toxic to aquatic life with long lasting effects.			
	breviations an						
AE				nal Carriage of Dangerous Goods by Road			
OE			tional Exposure Limit Value				
BL			al Limit Value				
CA			Chemical Abstracts Service				
CL							
	DIN German DNEL Derived		nogenic, Mutagenic and Reprotoxic an Institute for Standardization / German industrial standard ed No-Effect Level				
EC			pean Waste Catalogue Directive ctive Concentration pean Community				
EC							
EN			European Standard				
	TA-DGR		International Air Transport Association – Dangerous Goods Regulations				
	C Code		International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk				
	AO-TI		International Civil Aviation Organization Technical Instructions for the Safe Transport of Dangerous				
10.			Goods by Air				
IM	DG Code		International Maritime Code for Dangerous Goods				
IS			ional Organization for Standardization				
LC	;		Concentration				
LD		Lethal D	Dose				
MA	ARPOL	Maritime	e Pollution: The International Conventior	n for the Prevention of Pollution from Ships			
OF	ECD		ation for Economic Cooperation and De				
PE	ЗТ	persiste	nt, bioaccumulative, toxic				
PN	NEC		ed No Effect Concentration				
	EACH		Registration, Evaluation, Authorisation and Restriction of Chemicals				
RI		•	Regulations concerning the International Carriage of Dangerous Goods by Rail				
UN		United N					
VC			Organic Compounds				
vP	vВ	very per	sistent and very bioaccumulative				

# **Further information**

Classification according to Regulation (EC) No 1272/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in section 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.